












## **ARO**°

Diaphragm and Piston Pumps for the Oil and Gas Industry






ZA du Guindal - 136, Rue Jean-Baptiste GODIN - 59820 GRAVELINES

Tél: 03.28.63.92.21 / Fax: 03.28.63.92.17 - contact@dri-france.com - www.dri-france.com

# ARO® pumping solutions to improve your oil and gas productivity


### **Applications**

- Crude oil transfer
- Waste transfer
- Lube oil transfer
- Cellar pump out
- Circulation
- Flowline injection
- Heat treat circulation
- Mud make-up
- Salt water transfer
- Surface casing grout
- Utility



With over 80 years of experience in pneumatic-operated pumps, ARO® offers a wide range of diaphragm and piston pumps for the oil and gas industry. The innovative designs, best-in-class performance, and unparalleled reliability of ARO® pumps make them the perfect solution for a variety of upstream, midstream, and downstream applications. Whether it's standing up to the harsh environments of the off-shore platforms, ensuring consistent performance in the refineries, or supplying top-of-the-line flow rates for transfer and unloading, ARO® pneumatic-operated pumps help get the job done safely and efficiently.

The quality and performance of ARO® pumps is only strengthened by the support network around them. Not only do our engineers design our best-in- class technologies, but they can also consult with you to identify your needs and customize solutions to fit them. Our professional and experienced technical support team is merely a phone call or email away for support and assistance. Our global distribution and OEM network enhances our support through their extensive industry knowledge, application experience, and top-of-the-line service, meaning you never have to take on a challenge alone.



#### **EXP Series Diaphragm Pumps**



With industry-leading efficiency and reliability, ARO® EXP diaphragm pumps are a truly versatile solution for numerous applications. Available in metallic and non-metallic materials, these pumps are suitable for offshore sludge/waste water transfer, refinery processing, bulk transfer and unloading, and many other vital processes. With proven performance in the field and backed by a 5-year warranty, ARO® EXP diaphragm pumps deliver consistency and reliability in the most demanding situations.

With the ability to produce 300 psi fluid pressure and a max flow rate of 26 GPM

(98.4 LPM), ARO 3:1 diaphragm pumps offer higher pressures beyond a traditional

- 1/4" 3" port sizes
- Flow rates up to 275 GPM (1041 LPM)
- Stall-Free / Ice-free operation
- Large range of material and porting configurations
- Available in groundable materials

#### **High Pressure Specialty Pumps**



2:1 Diaphragm Pump

3:1 Diaphragm Pumps

diaphragm pump for tough applications.

#### 2:1 Diaphragm Pump

- 3" port size
- Flow rates up to 160 GPM (606 LPM)
- Pressures up to 200 PSI (13.8 bar)
- Stall-Free

#### 3:1 Diaphragm Pump

- 1" port size
- Stall-Free
- Stainless-Steel construction
- 1/8" diameter maximum particle size
- PTFE diaphragms

#### **ARO Force Pumps & Packages**




Capable of handling viscosities in excess of 1,000,000 cPs and generating pressures up to 7,475 psi, ARO® piston pumps are the perfect solution for the "tough" jobs. Whether it's providing heavy grease for critical components, facilitating emergency high-flow chemical injection, or being used in blow-out prevention (BOP) control systems, ARO® piston pumps provide the pressure and flow needed with consistent performance. Their robust design and reliability ensure productivity under any conditions.

- Available in 2-ball, 4-ball, and Chop-Check configurations for a wide range of viscous fluids
- Flow rates up to 32.8 GPM (124.0 LPM)
- Modular design promotes ease of serviceability and reduces downtime
- All pumps are groundable and ATEX-compliant

OIL PRODUCTION

EXP





DRI is specialized for Oil and Gas Industry of a comprehensive and modern range :

- -air, electric and hydraulically powered chain hoists and winches with lifting capacities from 150kg up to 100 metric tons
- -air motor
- -air starter

We provide a technical support and customized solution.

#### AIR CHAIN HOISTS AND LOW HEADROOM TROLLEY HOISTS

BOP HOISTS SYSTEMS
MAN-RIDING WINCHES
UTILITY WINCHES







Distributed by:



ZA du Guindal – 136, Rue Jean-Baptiste GODIN – 59820 GRAVELINES

Tél: 03.28.63.92.21 / Fax: 03.28.63.92.17 - contact@dri-france.com - www.dri-france.com

Ingersoll Rand, IR and the IR logo are trademarks of Ingersoll Rand, its subsidiaries and/or affiliates All other trademarks are the property of their respective owners.

Ingersoll Rand compressors are not designed, intended or approved for breathing air applications. Ingersoll Rand does not approve specialized equipment for breathing air applications and assumes no responsibility or liability for compressors used for breathing air service.

Nothing contained on these pages is intended to extend any warranty or representation, expressed or implied, regarding the product described herein.

Any such warranties or other terms and conditions of sale of products shall be in accordance with Ingersoll Rands standard terms and conditions of sale for such products, which are available upon request.

Product improvement is a continuing goal at Ingersoll Rand. Designs and specifications are subject to change without notice or obligation.