



MAINTENANCE & INDUSTRIAL

TOOL SELECTION

IQV 20V CORDLESS TOOLS

IMPACTS

W3111
1/4" Hex Compact Impact R - Bare Tool

W3111-K22-EU
1/4" Hex Compact Impact R - Kit
(2x Battery & charger with case/bag)

- 435 Nm max. Torque
- Up to 2800 rpm
- Patented 360° LED light & 3-stage power regulator
- Only 1.4 kg (with BL2012)
- Lightest & most powerful cordless impact wrench in its class



W3131
3/8" Compact Impact Tool - Bare Tool

W3131-K22-EU
3/8" Compact Impact Tool - Kit
(2x Battery & charger with case/bag)

- 545 Nm nut busting Torque
- 410 Nm max. Torque
- Patented 360° LED light & 3-stage power regulator
- Only 1.4 kg (with BL2012)
- Lightest & most powerful cordless impact wrench in its class



W3151
1/2" Compact Impact Tool - Bare Tool

W3151-K22-EU
1/2" Compact Impact Tool - Kit
(2x Battery & charger with case/bag)

- 610 Nm nut busting Torque
- 435 Nm max. Torque
- Patented 360° LED light & 3-stage power regulator
- Only 1.4 kg (with BL2012)
- Lightest & most powerful cordless impact wrench in its class



W5133
3/8" Mid-Power Impact Tool - Bare Tool

W5133-K22B-EU
3/8" Mid Power Impact Tool - Kit
(2x Battery & charger with case/bag)

- 745 Nm nut busting Torque
- 500 Nm max. Torque
- Only 2.4 kg (with BL2022)
- Patented 360° LED light & 4-Stage Power Regulator



W5153
1/2" Mid Torque Impact Tool - Bare Tool

W5153-K22B-EU
1/2" Mid Torque Impact Tool - Kit
(2x Battery & charger with case/bag)

- 745 Nm nut busting Torque
- 500 Nm max. Torque
- 2.4 kg (with BL2022)
- Patented 360° LED light & 4-Stage Power Regulator



W7152
1/2" High Torque Impact Tool - Bare Tool

W7152-K22B-EU
1/2" High Torque Impact Tool - Kit
(2x Battery & charger with case/bag)

- 2040 Nm nut busting Torque
- 1360 Nm max. Torque
- Only 3.4 kg (with BL2022)
- Patented 360° LED light & 4-Stage Power Regulator



W7172
3/4" High Torque Impact Tool - Bare Tool

W7172-K22B-EU
3/4" High Torque Impact Tool - Kit
(2x Battery & charger with case/bag)

- 2040 Nm nut busting Torque
- 1360 Nm max. Torque
- Only 3.4 kg (with BL2022)
- Patented 360° LED light & 4-Stage Power Regulator



W9491
1" D-Handle High Torque Impact Tool Short Anvil - Bare Tool

W9491-K4E-EU
1" D-Handle High Torque Impact Tool Short Anvil - Kit (4x Battery & double charger)


- 3500 Nm nut busting Torque
- 3000 Nm max. Torque
- Most powerful cordless impact wrench in the world
- 4-Stage Power Regulator



W9691
1" D-Handle High Torque Impact Tool 6" Ext. Anvil - Bare Tool

W9691-K4E-EU
1" D-Handle High Torque Impact Tool 6" Ext Anvil - Kit (4x Battery & double charger)

- 4000 Nm nut busting Torque
- 3500 Nm max. Torque
- Most powerful cordless impact wrench in the world
- 4-Stage Power Regulator



W5330
3/8" Right Angle Impact Tool - Bare Tool

W5330-K12-EU
3/8" Right Angle Impact Tool - Kit (1x Battery & charger with case/bag)


- 245 Nm max. Torque
- Up to 1900 rpm
- Ergonomic design with low head height for tight spaces
- Robust metal composite housing



W5350
1/2" Right Angle Impact Tool - Bare Tool

W5350-K12-EU
1/2" Right Angle Impact Tool - Kit (1x Battery & charger with case/bag)

- 245 Nm max. Torque
- Up to 1900 rpm
- Ergonomic design with low head height for tight spaces
- Robust metal composite housing



RATCHETS

R3130
3/8" Ratchet - Bare Tool

R3130-K12-EU
3/8" Ratchet - Kit
(1x Battery & charger with case/bag)

- 73 Nm max. Torque
- 225 rpm
- 1.8 kg (with BL2012)
- Robust metal composite housing



R3150
1/2" Ratchet - Bare Tool

R3150-K12-EU
1/2" Ratchet - Kit
(1x Battery & charger with case/bag)

- 73 Nm max. Torque
- 225 rpm
- 1.8 kg (with BL2012)
- Robust metal composite housing



DRILLS

D3141
13mm (1/2") Drill/R - Bare Tool

D3141-K22-EU
13mm (1/2") Drill/R - Kit
(2x Battery & charger with case/bag)



- Brushless motor offers max. 50 Nm Torque
- With 2 drill settings (screwing & drilling)
- 2 speed settings (500-1800 rpm) & 18 speed clutch
- 1/2" (13mm) keyless drill chuck

D5241
13mm (1/2") Hammer Drill - Bare Tool

D5241-K22-EU
13mm (1/2") Hammer Drill - Kit
(2x Battery & charger with case/bag)



- Brushless motor offers max. 125 Nm Torque
- With 3 drill settings (screw, drill, impact drill)
- 2 speed settings (500-1800 rpm) & 24 speed clutch
- 1/2" (13mm) keyless drill chuck

GRINDERS

G5351M
Angle Grinder - Bare Tool

G5351M-K22-EU
Angle Grinder - Kit
(2x Battery & charger with case/bag)



- 0.75 kW power
- 8,000 rpm
- Ergonomic design with rubberized handle
- Automatic e-brake & paddle with safety switch



OTHER



LUB5130
Grease Gun - Bare Tool



- 431 bar max. pressure
- 75g/min material flow rate
- Flexible hose (762mm long)
- Operates with cartridge or manually

BATTERIES & CHARGERS

BL2012
2.5Ah 20 Volt (Compact) Battery Pack



BL2022
5.0Ah 20 Volt (Extended Use) Batter Pack



BC1121-EU
20 Volt Single Bay Battery charger



BC1221-EU
20 Volt Dual Bay Battery charger



PNEUMATIC TOOLS

IMPACTS

15QMAX
3/8" Max Series Stubby Pistol Impact Tool



- Nut-busting Torque (Nm): 644
- Max. fastening Torque (Nm): 420
- Weight (Kg): 1,09
- Ultra Compact & Quiet Technology

2115QTiMAX
3/8" Max Series High Torque Pistol Impact Tool



- Nut-busting Torque (Nm): 407
- Max. fastening Torque (Nm): 339
- Weight (Kg): 1,12
- Ultra durable titanium housing & Quiet Technology

36QMAX
1/2" Max Series Stubby Pistol Impact Tool



- Nut-busting Torque (Nm): 868
- Max. fastening Torque (Nm): 515
- Weight (Kg): 1,18
- Ultra Compact & Quiet Technology

2136QXPA
1/2" Max Series Standard Pistol Impact Tool



- Nut-busting Torque (Nm): 1500
- Max. fastening Torque (Nm): 1057
- Weight (Kg): 1,81
- Quiet Technology

2236QTiMAX
1/2" Max Series High Torque Pistol Impact Tool With Dxs

- Nut-busting Torque (Nm): 2034
- Max. fastening Torque (Nm): 1220
- Weight (Kg): 1,99
- Innovative patented Drive Xchange System (DXS) to change Anvil
- Patented direct greasing Design
- Ultra durable titanium housing & Quiet Technology



2146Q1MAX
3/4" Max Series High Torque Pistol Impact Tool



- Nut-busting Torque (Nm): 2712
- Max. fastening Torque (Nm): 1763
- Weight (Kg): 3,54
- Innovative Air Pressure Gauge, Ultra Durable & Quiet Technology

2146Q1MAX-3
3/4" Max Series High Torque Pistol Impact Tool - 3" extended Anvil



- Nut-busting Torque (Nm): 2712
- Max. fastening Torque (Nm): 1763
- Weight (Kg): 3,54
- Innovative Air Pressure Gauge, Durable Design & Quiet Technology

2146Q2MAX
1" Max Series Pistol Impact Tool



- Nut-busting Torque (Nm): 2712
- Max. fastening Torque (Nm): 1763
- Weight (Kg): 3,54
- Innovative Air Pressure Gauge, Durable Design & Quiet Technology

2922P1
3/4" Industrial Grade High Torque Pistol Impact Tool



- Nut-busting Torque (Nm): 2710
- Max. fastening Torque (Nm): 1491
- Weight (Kg): 5,44
- Optimized for industrial use and the toughest conditions

2175MAX
1" Max Series High Torque Pistol Impact Tool



- Nut-busting Torque (Nm): 2712
- Max. fastening Torque (Nm): 2576
- Weight (Kg): 8,15
- Chemical resistant steel housing & 360° adjustable handle

2922P3
1" Industrial Grade High Torque Pistol Impact Tool



- Nut-busting Torque (Nm): 2710
- Max. fastening Torque (Nm): 1491
- Weight (Kg): 5,44
- Optimized for industrial use and the toughest conditions



2850MAX
1" Max Series D-Handle Impact Tool



- Nut-busting Torque (Nm): 2847
- Max. fastening Torque (Nm): 2712
- Weight (Kg): 8,81
- Robust and solid design for long durability

2850MAX-6
1" Max Series D-Handle Impact Tool - 6" extended Anvil



- Nut-busting Torque (Nm): 2847
- Max. fastening Torque (Nm): 2712
- Weight (Kg): 9,97
- Robust and solid design for long durability

3940B2Ti
1" Ultra Duty D-Handle Titanium High Torque Impact Tool



- Nut-busting Torque (Nm): 3729
- Max. fastening Torque (Nm): 3390
- Weight (Kg): 9,62
- Optimized for industrial use with ultra durable titanium housing for the toughest conditions

2955B2
1.5" Industrial Grade High Torque D-Handle Impact Tool



- Nut-busting Torque (Nm): 2710
- Max. fastening Torque (Nm): 1491
- Weight (Kg): 5,44
- Optimized for heavy duty

3956B2Ti
1.5" Ultra Duty D-Handle Titanium High Torque Impact Tool



- Nut-busting Torque (Nm): 7300
- Max. fastening Torque (Nm): 7020
- Weight (Kg): 15,56
- Optimized for industrial use with ultra durable titanium housing for the toughest conditions



RATCHETS

1211MAX-D3
3/8" High-Speed Ratchet



- Max. Torque (Nm): 108
- Max. Speed (rpm): 625
- Weight (Kg): 1,37
- Combines the speed of the ratchet with impact mechanism

1211MAX-D4
1/2" High Speed Ratchet



- Max. Torque (Nm): 108
- Max. Speed (rpm): 625
- Weight (Kg): 1,37
- Combines the speed of the ratchet with impact mechanism

DRILLS

7803RAKC
13mm (1/2") Drill



- Leistung (hp): 0,5
- Max. Speed (rpm): 500
- Weight (Kg): 1,5
- Reversible, Keyless Chuck

7802RAKC
10mm (3/8") Drill



- Leistung (hp): 0,5
- Max. Speed (rpm): 2000
- Weight (Kg): 1,32
- Reversible, Keyless Chuck

GRINDERS

140EP Engraving Pen



- Blows per Min: 11400
- Variable Speed
- Weight (Kg): 0,2
- Ergonomic design with TPU grip

320PGK Pencil Grinder Kit



- Max. Speed (rpm): 60000
- Variable Speed
- Weight (Kg): 0,23
- Set with 5 different grinding points and carbide burrs in case



5108MAX-M Max Series Horizontal Die Grinder - 6mm Collet



- Power (HP): 0,4
- Max. Speed (rpm): 25000
- Weight (Kg): 0,45
- Lube-Free Motor & Composite housing for high durability

5102MAX-M Max Series Right Angle Die Grinder - 6mm Collet



- Power (HP): 0,4
- Max. Speed (rpm): 20000
- Weight (Kg): 0,64
- Lube-Free Motor, Spindle lock & composite housing for high durability

3445MAX-M 115mm Max Series Angle Grinder, M14 Spindle



- Power (HP): 0,88
- Max. Speed (rpm): 12000
- Weight (Kg): 1,54
- Composite housing for high durability

345MAX-M 125mm Max Series Angle Grinder, M14 Spindle



- Power (HP): 0,88
- Max. Speed (rpm): 12000
- Weight (Kg): 1,54
- Composite housing for high durability

INDUSTRIAL SERIES

M2H200RG4 Industrial Duty Horizontal Die Grinder - 1/4" / 6mm Collet



- Power (HP): 1,0
- Max. Speed (rpm): 20000
- Weight (Kg): 0,77
- Optimized for industrial use with composite housing for high durability

M2A180RG4 Industrial Duty Right Angle Die Grinder - 1/4" / 6mm Collet



- Power (HP): 1,0
- Max. Speed (rpm): 18000
- Weight (Kg): 1,61
- Optimized for industrial use with composite housing for high durability

M2X200RG4 Industrial Duty Extended Horizontal Die Grinder - 1/4" / 6mm Collet



- Power (HP): 1,0
- Max. Speed (rpm): 20000
- Weight (Kg): 1,22
- Optimized for industrial use with composite housing for high durability



VT26A120SP955 Industrial Grade 125mm (5") Turbine Grinder - M14 Spindle



- Power (HP): 3,5
- Max. Speed (rpm): 12000
- Weight (Kg): 2,2
- Integrated auto-balancing unit reduces vibration & Spindle lock

VT26A085SP98 Industrial Grade 180mm (7") Turbine Grinder - M14 Spindle



- Power (HP): 3,5
- Max. Speed (rpm): 8500
- Weight (Kg): 2,8
- Integrated auto-balancing unit reduces vibration & Spindle lock



SANDERS

5151-6-HL

150mm Random Orbital Sander -
2.5mm Orbit, Hook & Loop



- Power (HP): 0,3
- Max. Speed (rpm): 12000
- Weight (Kg): 0,82
- Lube-Free Motor & Vacuum ready

5152-6-HL

150mm Random Orbital Sander -
5.0 Mm Orbit, Hook & Loop



- Power (HP): 0,3
- Max. Speed (rpm): 12000
- Weight (Kg): 0,82
- Lube-Free Motor & Vacuum ready

360-418

13mm X 457mm (1/2" X 18
Belt Sander



- Power (HP): 0,6
- Max. Speed (rpm): 20000
- Weight (Kg): 1,09
- Tool-free belt change & Articulated arm



OTHER/GENERAL

123MAXHK

123max Short Barrel
Air Hammer Kit (Hex Shank)



- Blows per Min: 3530
- Vibration reduced by 30%
- Weight (Kg): 2,04
- Set with 5-piece chisel set in case, Quick change retainer

529

Reciprocating Saw - 10mm Stroke



- Strokes per Min: 9500
- Variable Speed
- Weight (Kg): 0,68
- Vibration reduced"



TB4

Tool Bag - Compact 12" Length



- For easy and organized transport of the tools
- 12 Pockets
- Zipper Closure
- Robust canvas"

TB3

Tool Bag - Long 25" Length



- For easy and organized transport of the tools
- 15 Pockets
- Zipper Closure & Shoulder strap
- Robust canvas"

105-LBK1

Impact Tool & Ratchet Lubrication Kit



- Includes 4oz. 105-4T Heavy Duty Grease
- Includes 4oz. 10Z4 Air Tool Oil
- Weight (Kg): 0,36
- Together with a compact grease gun for easy use

THE PNEUMATIC ADVANTAGE

COST EFFECTIVE



Economical

With fewer parts and relatively simple mechanics, air tools provide low-cost maintenance and operation that you can count on to get your job done.



Longer Life

Air tools are powered by air, not on-board motors, resulting in fewer breakdowns, easier repair and longer life.



Easy Repair

With less parts and no electronics, air tools can easily be rebuilt in-house, reducing downtime. Most cordless repairs must be sent off for factory maintenance or repair.

RELIABLE



Built to Last

Air tools can work hard all day every day and keep coming back for more, year after year. They can routinely handle more duty cycles – trigger pulls + usage time – than cordless tools.



Dependable

Air tools offer consistent performance in extreme temperatures, both hot and cold, resulting in less downtime.



Greater Access

Air tools are generally smaller in size and weight, getting you into the tight spots and hard to reach places with ease.

USER FRIENDLY



Safer

With no electrical components or power source on-board, air tools reduce the risk of electric shock and fire hazard.



Better Ergonomics

Lighter weight, less vibration, and better balance than cordless tools, air tools give you more control with less fatigue.



Simple

Easier to rebuild with simple tune-up kits. Less money spent on parts and labor.



Your distributor:



Customer Support Email: IRToolHelp@irco.com

<https://powertools.ingersollrand.com/en-gb/>